Approved For Release 1999/08/27 : CIA-RDP78-04133A000100080004-9

PROPOSED HARDWARE LIST FOR [redacted]

[redacted] 25X1A5a1

Transformer Building

2 sgle Doors - ½ RHR

(1) 3 pr. Butts - (2010½P) BB1242PT NRP 4½x4½
2 Locks - (86B-3) D51PD Ply Al (not mk'd)

APPROVED AS NOTED
BY [redacted]
DATE 9-8-53
25X1A9a

AUXILIARY BUILDING

1 sgle S-2 Dr. - Ext to Shop RH 180°
3'4" x 7'0" x 1 3/4 Wd x W J x MT x Mas Wls

1½ pr. Butts - (2010½P) BB1242PT 4½x4½
✓ 1 Lock - (86B-3) D51PD Ply Al

1 sgle - Storage from Shop RHR 180°
3'4" x 7'0" x 1 3/4 Fl Wd x WJ x Mas Wls.

1½ pr. Butts - (2010½P) BB1242PT 4½x4½
✓ 1 Lock - (86C-3) D62PD Ply Al

Document No. [redacted]
No Change in Class.
☐ Declassified
Class. Changed To: TS S C
Auth.: HR 70-2
Date: 20 OCT 1978 By: [redacted]

1 sgle S-4 Dr. - Ext to Storage

✓ O. H. Dr. - By Others

✓ 1 sgle S-1 Dr. - Ext from Generator Room RB 180°
2-2'6" x 7'0" x 1 3/4 w/Gl Pnl x Astr x
MT x WJ x Mas Wls.

3 pr. Butts - (2010½P) BB1242PT NRP 4½x4½
1 Lock - (86B-3) D51PD Pluy Al
✓ 1 Bolt - (F1023AC) 6" Yale 2110
1 Bolt - (F1023BC) 6" Square Case Yale 2115

OPERATIONS BUILDING

1 pr. 100 Drs. - Ext from Vest #1 RHRB Active 130°
2-2'6" x 7'0" x 1 3/4 Alum Dr. x Frame x
½ Pnl. 2" Stile 2" stile

1 Lock (190M)
✓ 4 Comb Push & Pull Bars - (4764) 6010 PAL BW x MS
4 Kick Plates - (1226) 8" x 26½" Brot Alum. x MS
2 Fl. Hinges - (3560) A-#111 Rixson #25 xMS
2 Int. Pivot hinge - (3525) 19 Rixson xMS
2 Bolts - (1045) 257B26D H.B.Ives Co. xMS

✓ 1 pr. DA Drs. #1 Vest 1 to Ent. Hall RHR Active 3" stile

Approved For Release 1999/08/27 : CIA-RDP78-04133A000100080004-9

Approved For Release 1999/08/27 : CIA-RDP78-04133A000100080004-9

102 2-2'5" x 6'8" x 1 3/4

1 pr. #46 Drs. - Vest #2 from Corridor
2-2'6" x 6'8" x 1 3/4 Wd Pnl x WJ

123B N 3 for #46
2 for #102

6 pr. Butts - (2010½P) BB1242PT 4½x4½ (fast pin)
2 Locks - (86E-3) D51PD Ply Al
8 Kick Plates - (1226) 4-8" x 27½" 4-8" x 28½" rot Al
2 Fl Bolts - (F1023AC) 2110 6"
2 Fl Bolts - (F1023BC) x Square Case 6" 2115
4 Door Closers - (3001 size 111) Norton D
4 Corner Backets - Norton D
4 Floor Stops - (1328E) US2H #143 Quality Alum

1 sgle #104 Dr. - Ext from Kitchen LHR 90°
3'0" x 6'8" x 1 3/4 WD Dr. x 1/Pnl x WJ

123B-22

1½ pr. Butts - (2010½P) BB1242PT NRP 4½x4½ (fast pin)
1 Lock - (123A-22) D51PD Ply AL
1 Door Closer - (3001 - III) Norton D
1 Corner Bracket Norton D
1 Kick Plate - (1227) 8" x 34½" ~~Black Panelyte~~ alum. (Outside)
1 " " 33½" x 34½" " (Inside)
(See Detail - Dwg. No. 5-3)

see Space Section X

1 sgle #101 Dr. - Ext from Reference Space RHR 180°
1 sgle #103 Dr. - Ext from Reference Space LHR 180°
3'0" x 6'8" x 1 3/4 1/Pnl Wd x WJ

3 pr. Butts - (2010½P) BB1242PT NRP 4½x4½ (fast pin)
2 Locks - D25D Ply Al

1 sgle #4 Dr. - Corr to Interview Room LH 90°
1 sgle #3 Dr. - Corridor to Beauru Chief RH 90°
1 sgle #5 Dr. - Corr to First Aid LH 90°
1 sgle #2 Dr. - Corr to Admin. LH 90°
3'0" x 6'8" x 1 3/4 WD X WJ

This lock prior to Jan. Clos.

6 pr. Butts - (2010½P) BB1242PT 4½x4½
4 Locks - (86E-3) D51PD Ply Al
4 Floor Stops - (1328E) US2H 144 Al Quality

1 sgle 3B Dr. - Bureau Chief to Special RH 90°
2'8" x 6'8" x 1 3/4 Fl Wd x WJ

1½ pr. Butts - (2010½P) BB1242PT 4½x4½
1 Lock - (86J-3) (cyl of Bureau Chief Side) D70PD Ply Al
1 Floor Stop - (1328E) US2H 144 Al Quality

Approved For Release 1999/08/27 : CIA-RDP78-04133A000100080004-9

Approved For Release 1999/08/27 : CIA-RDP78-04133A000100080004-9

1 sgle #8 Corr to Men's Toilet LH 90°
1 sgle #9 Dr. - Corr to Women's Toilet RH 90°
1 sgle #9A Dr. - Women's Toilet from Rest Room RHR 180
2'8" x 6'8" x 1 3/4 WD x WJ x MT

4½ pr. Butts - (2010½P) BB1242PT 4½x4½
3 Push Plates - (463) Black P74-2
3 Kick Plates - (1227) 8" x 50½" Black Panelyte
3 Pulls - (457½) BW422 US26D
3 Door Closers - (3001 III) Norton D
2 Corner Brackets - (ome1 9A) Norton D

1 sgle #10 Dr. - Corr to Janitors Closet LH 90°
1 sgle #7A Dr. - A[illegible] & Lunch Rm from Kitchen LHR 180°
2'8" x 6'8" x 1 3/4 Fl Wd x WJ

3 pr. Butts - (2010½P) BB1242PT 4½x4½
2 Knob Locks - (86H-3) D10S Ply Al
2 Floor Stops - (1328E) US2E 144 Al Quality

1 sgle #41 Dr. - Corr to Heavy Equip. Storage RH 90°
1 sgle #18 Dr. - Corr to Supply Storage RH 90°
1 sgle #11 Dr. - Corr to Storage RH 90°
1 sgle #28 Dr. - Corr to Closet - RH 90°
#41-3' 18&11-2'8" 28-2'6" x 6'8" x 1 3/4 WD x WJ

6 pr. Butts - (2010½P) BB1242PT 4½x4½
4 Locks - (86H-3) D51PD Ply Al
4 Floor Stops - (1328E) US2H 144 Al Quality

1 sgle #16 Dr. - Corr to Code Rm #1 RH 90°
1 sgle #14 Dr. - Corr to Code Rm #2 LH 90°
1 sgle #12 Dr. - Corr to Code Rm #3 LH 90°
1 sgle #15 Dr. - Corr to Editorial Rm LH 90°
3'0" x 6'8" x 1 3/4Fl Wd x Lou Top & Bot x WJ

6 rp. Butts - (2010½P) BB1242PT 4½x4½
4 Knob Latch - (86H-3) D10S Ply Al
4 FloorStops - (1328E) US2H 144 Al Quality

1 sgle #29 Dr. - Corr to Chief Editor LH 90°
1 sgle #42 Dr. - Corr to Chief Eng. RH 180°
1 sgle #47 Dr. - Corr to Machine Shop LH 90°
3'0" x 6'8" x 1 3/4 Mtl Lou Bot x WD x WJ

4½ pr- Butts - (2010½P) BB1242PT 4½x4½
3 Locks - (86H-3) D51FD Ply Al
3 Floor Stops - (328E) US2H 144 Al Quality

Approved For Release 1999/08/27 : CIA-RDP78-04133A000100080004-9

Approved For Release 1999/08/27 : CIA-RDP78-04133A000100080004-9

1 sgle #42 Dr. - Corr to Main Radio Room LH 90°
1 sgle #40 Dr. - Corr to Recording Room LH 90°
3'0" x 6'8" x 1 3/4 View Pnl Top - Louv Bot
x Fl Wd x WJ

3 pr.	Butts - (2010½P) BB1242PT 4½x4½
2	Knob Latch - (86N-3) D10S Ply Al
2	Floor Stops - (1328E) US2H 144 Al Quality

1 sgle #43 Dr. - Corr to Cruising LH 90°
1 sgle #12A Dr. - Code Rm 2 to Code Rm 3 LH 90°
43-3'0" 12A-2'8" x 6'8" x 1 3/4 Fl Wd x WJ

3 pr.	Butts - (2010½P) BB1242PT 4½x4½
2	Knob Latch - (86N-3) D10S Ply Al
1	Door Stop - (1326) (cruising room) 305 Al Quality
1	Door Stop - (1328E) US2H (code rm #3) 144 Al Quality

1 sgle #13 Dr. - Corr to Teletype
1 sgle #45 Dr. - Corr to Electronic Shop (Cyl. on Corr side)
1 sgle #45A Dr - Elect Shop to Elect Stor (Cyl. on Shop side)
1 sgle #3A Dr. - Admin. to Bureau Chief
1 sgle #15B Dr. - Editioral Rm. to Chief Editor
Sliding

5 lgth	Track - #T2680 72"
10	Brackets - 2680-5
5	End Brackets - 2680-6
5 pr.	Hangers - 2682-1
30 ft.	Zinc Guide
5	Rubber Bumpers
5	Locks - Adams-Rite #1131 Schlage cly x thumb turn

Bureau Chief to Admin.
Sliding

1 lgth	Track - #T2680 72"
2	Brackets - 2680-5
1	End Bracket - 2680-6
1 pr.	Hangers - 2682-1
6'	Zinc Guide
1	Rubber Bumper
1	Lock - Adams-Rite #1131 Schlage cyl x Thumb turn (cyl on Adm. side)

Approved For Release 1999/08/27 : CIA-RDP78-04133A000100080004-9

Approved For Release 1999/08/27 : CIA-RDP78-04133A000100080004-9

Sliding

1 lgeth	Track - #T2680 72"
2	Brackets - 2680-5
1	End Bracket - 2680-6
1 pr.	Hangers - 2682-1
6'	Zinc Guide
1	Rubber Bumper
1	Lock - Adams-Rite #1131 Schlage cyl x thumb turn MK'd (cyl on Editorial Room side)

Corridor to Teletype
Sliding

1 lgth	Track - T2680 72"
2	Brackets - 2680-5
1	End Bracket - 2680-6
1 pr.	Hangers - 2682-1
6'	Zinc Guide
1	Rubber Bumper
1	Lock - Adams-Rite #1131 Schlage cyl x thumb turn MK'd (cyl on Corridor side)

24 Sliding Doors 21, 22, 23, 24, 25, 26, 27, 31, 32, 33, 34,
(20 locks) 16 Monitoring Rooms 35, 36, 37, 38, 39, 24A, 26A, 33A, 36A,
1 Library 19
1 Edit Room to Teletype 15A
1 Code Room 1 to Code Room 2 16A

24 lgeth	Track - T2680 70"
24 pr.	Hangers - 2682-1
48	Brackets - 2680-5
24	Brackets - 2680-6
24	Rubber Stops
144 ft	Zinc Guide
24	Lock - Adams-Rite #502 turn button x turn button US10

4 - #7 Drs. - Folding Partition
2'10" x 6'8" x 1 3/4 WD x WH

3	Butts - BB1242PT 4x5
3 (6) pr.	Butts - (2010½P) BB1242PT (4½ x 4½) 4½ x 4½
6	Flush Bolts - (1045) 257D25D H. B. Ives Co.
5	Dust Proof Strikes - (1048) #17 Yale
3	Ball Bearing Casters - (approved size)
1	Lock - (86B3) (cyl on Ent. Hall side) D51PD Ply Al

1 sgle #17 Dr. - Corr to Pent House Stairs LH 90°
2'6" x 6'8" x 1 3/4 Fl Wd Slb x WJ

1½ pr.	Butts - (2010½P) BB1242PT 4½x4½
1	Lock - (86B-3) D51PD Ply Al
1	Closer - (3001 III) Norton D
1	Corner Bracket - (Norton D

Approved For Release 1999/08/27 : CIA-RDP78-04133A000100080004-9

Approved For Release 1999/08/27 : CIA-RDP78-04133A000100080004-9

2 sgle D[illegible] - Ext from Pent House
1-3'6" 1-3'4" x 6'6" Alum x Alum Jmb.

3 pr. Butts - (2010½?) BB1146PT NRP 4½x4½
2 Locks - (860-3) D55PD Ply Al MS
2 Door Closers - (3001 III) Norton D MS
2 Corner Brackets - Norton D MSCable Trench Steel Door &

Cable Trench Steel Door & Well Manhole

4 Padlocks - (KPA)1 3/4" w/chain 910 Schlage MK'd

Slide-Up Sash - Teletype to Storage

2 Sash Balances - (F1245) Unique
1 Fastner - (1146) 36B26D (teletype side)
1 Mortise Bolt - (1053) 48B26D " "
2 Lifts - (1212) 24B26D " "

Pivoted Sash - Tletype to Editorial Room

1 set Pivots - (1114) 1355 Yale Top pivot to swing both ways.

Coat Space - 10' opening

12 C&H Hooks - (F1172) 10" Apart S71NB15
1 K-V 12' #2 Extension Closet Rod
2 29201 Center Supports

4 Card Holders

4 As detailed - special mfg.

Card by others

Work Bench - Mach Shop
Aux. Building

8 Drawer Pulls - (1310) B1055 US26D

Other Cabinets

52 Pulls - (1305) 1074 Yale
4 pr. Butts - (2028) 1508½ CHRD 2½x2½
4 Cupboard turns - (1082) 540B26D
78 Shelf Brackets - 1924J 8x8
50 Shelf Brackets - 1924J 8x6

Trash Can Inclosure

1½ pr. Butts - 1290PT 2½x2½
1 Barrle Bolt - 1335R 4"

Approved For Release 1999/08/27 : CIA-RDP78-04133A000100080004-9